

POSTER PRESENTATIONS

The Poster Presentation session will take place on Saturday, February 14 from 16:45 till 18:00 in Potsdam II hall (exhibition and poster area, next to the lecture hall).

No.	TITLE
P-01	Thromboembolism prophylaxis after cesarean section (PRO-CS) trial <i>F.H. AlGahtani, H. Al-Dohami, S. Abo-Harbesh, A. Al-Gader, A. Aleem (Saudi Arabia)</i>
P-02	Effects of new oral anticoagulants (NOAC) on different antithrombin assays <i>E-M. Norberg, L. Söderblom, M. Berndtsson, M. Skeppholm, J. Antovic (Sweden)</i>
P-03	Management of major obstetric haemorrhages over a 10- year period using an acute massive blood loss (AMBL) protocol <i>J. Garry, J. McNamee, A. Fortune, M. McCloy, J. Sargent (Ireland)</i>
P-04	Validation of screening tool for bleeding disorders in women with heavy menstrual bleeding <i>S. Wiewel-Verschueren, H.M. Knol, A.B. Mulder, E.R. Klinkert, H.C. Kluin-Nelemans, A.G.J. van der Zee, K. Meijer (Netherlands)</i>
P-05	Thyroid function in women with heavy menstrual bleeding <i>S. Wiewel-Verschueren, H.M. Knol, A.B. Mulder, E.R. Klinkert, H.C. Kluin-Nelemans, A.G.J. van der Zee, K. Meijer (Netherlands)</i>
P-06	Anticoagulant therapy for acute venous thromboembolism during pregnancy: case-control study of delivery and post-partum <i>E. Le Moigne, S. Georget, M. Collet, M. Jacquot, C. Tromeur, D. Mottier, A. Delluc (France)</i>
P-07	Midwife and obstetric doctors' views of venous thromboembolism (VTE) in the puerperium <i>B. Guimicheva, L.N. Roberts, J.P. Patel, D. Subramanian, R. Arya (UK)</i>
P-08	Hypercoagulation and pre-eclampsia: prospective study of thrombin potential generation in a population of women with pre-eclampsia <i>L. Masson, C. Caron, C. Vermersch, V. Houfflin-Debarge, A-S. Ducloy-Bouthors (France)</i>
P-09	Clinical improvement and successful pregnancy in three patients with antiphospholipid antibodies and ischemic placental disease treated with pravastatin <i>E. Lefkou, A. Mamopoulos, T. Dagklis, C. Vosnakis, C. Anthoulakis, G. Mavromatidis, D. Rouso, G. Girardi (Greece, UK)</i>
P-10	Right ventricular thrombus mimicking recurrent myxoma in a woman with antiphospholipid syndrome <i>E. Lefkou, T. Karamitsos, A. Machtopoulos, A. Theodoridou, G. Gerotziapas, B. J. Hunt (Greece, UK)</i>
P-11	Thrombin generation, D-dimer and protein S in normal uncomplicated pregnancy <i>M. Kovac, S. Lalic-Cosic, V. Djordjevic, D. Radojkovic (Serbia)</i>
P-12	Evaluation of the method of thrombodynamics in pregnant women with complicated obstetric history for haemostasis monitoring <i>J. Pavlovskaja, N. Vorobyeva (Russia)</i>
P-13	Role of genetic polymorphisms of haemostasis's system in case of habitual miscarriage <i>D. Gamyrkina, N. Vorobyeva (Russia)</i>
P-14	Hemolytic anemia in HELLP syndrome: a link with kidney injury? <i>L. Sabau, J. Biernat, F. Provôt, F. Fourrier, A.S. Ducloy-Bouthors (France)</i>
P-15	Does preeclampsia induced excessive thrombin generation predict maternal or foetal severe outcome? <i>C. Vermersch, L. Masson, V. Debarge, C. Caron, V. Deken, A-S. Ducloy-Bouthors (France)</i>
P-16	The role of the common M2/ANXA5 haplotype as a predisposition factor in malay recurrent miscarriage women and couples. A pilot study <i>T.T. Hock, N. Bogdanova, A. Kai Cheen, S. Kathirgamanathan, R. bin Abdullah, N. Mohd Yusoff, W. Zaidah Abdullah, F.S. Abdul Manaf, P. Wieacker, A. Markoff (Malaysia, Germany)</i>
P-17	The management of Bernard-Soulier syndrome in pregnancy – a case report <i>R. Halabi, E. Horn, E. Ciantar (UK)</i>
P-18	The management of Factor XIII deficiency in pregnancy – a case report <i>S. Dukka, E. Horn, E. Ciantar (UK)</i>
P-19	Primary immune thrombocytopenia (ITP) in pregnancy. An audit on its management in a large tertiary unit <i>O. Al Shakhshir, S. Hensch, S. Rajesh, Q. Hill, E. Ciantar (UK)</i>
P-20	Polymorphism in SG319 gene reverse cholesterol transporter ABCA1 as a marker of favorable development of coronary artery disease in young and middle-aged women <i>T. Vavilova, V. Feoktistova, O. Sirotkina, S. Boldueva, I. Leonova, L. Gaykovaya (Russia)</i>
P-21	Cardiac X syndrome. Does endothelial dysfunction play an important role? <i>I. Leonova, A. Lipunova, S. Boldueva, M. Kolesnichenko, T. Vavilova, V. Feoktistova (Russia)</i>
P-22	Impact of hydroxychloroquine treatment on pregnancy outcome in patients with antiphospholipid antibodies <i>S. Sciascia, E. Talavera, B.J. Hunt, G. Lliso, MA. Khamashta, M.J. Cuadrado (UK)</i>
P-23	FXI, pregnancy and blood group <i>B. Myers, R. Kadir, R. Neal & S. Pavord (UK)</i>
P-24	Management of thromboprophylaxis in pregnant women with known thrombophilia or vascular placental complications (VPC) and delivery. Preliminary results of the team project <i>D. Mussio, E. Martí, C. Medina, M. Casellas, M. Stevenazzi, A. Redondo Izal, I. de Diego, A. Rodríguez Huerta, P. Llamas, J. Rodríguez Martorell, O. Martínez, I.M. Ramírez, M. J. Gutiérrez Pimentel, D. Tássies, A. Santamaría (Uruguay, Spain)</i>
P-25	Thrombophilia in pregnant women with thrombosis and placental vascular complications

	<i>D. Mussio, L. Pons V. Lopez-Andreoni, P. Olivera, R. Robaina, S. Grille, M. Stevenazzi, F. Bosch, A. Santamaría (Uruguay, Spain)</i>
P-26	Should the couple be screened for thrombophilia after a diagnosis of perinatal stroke? <i>S. Pinho, J. Lima, S. Sarzedas, M. Lucas, G. Carvalhosa, C. Telhado, A. Serrão Neto (Portugal)</i>
P-27	Risk factors for unexplained intrauterine fetal death in Northern Greece: A retrospective case control study <i>C. Anthoulakis, A. Mamopoulos, S. Aggelidou, T. Dagklis, I. Famellos, E. Lefkou, I. Tsakiridis, G. Mavromatidis, D. Rouso (Greece)</i>
P-28	Cardiac output and microcirculatory reactivity in preeclamptic patient : a non-invasive comparative prospective study <i>M. Gonzalez Estevez, S. Langlois, L. Masson, C. Vermeersch, A-S. Ducloy-Bouthors, V. Houfflin-Debarge, P. Richart, B. Vallet (France)</i>
P-29	High thrombotic risk in pregnancy and obstetric outcomes - a tertiary hospital reality <i>S. Oliveira, M. Guimarães (Portugal)</i>
P-30	Portal vein thrombosis in patient with gastric diffuse B large cell lymphoma <i>D. Antic, V. Djurasinovic, V. Vukovic, B. Mihaljevic (Serbia)</i>
P-31	Menorrhagia associated with rivaroxaban therapy <i>N.J. Dolan, K.A. Breen, B.J. Hunt (UK)</i>
P-32	Recurrence of VTE, obstetric and neonatal outcomes in 78 women with venous thromboembolism during pregnancy and puerperium - <i>M. Revelj, A. Hagman, M. Hellgren (Sweden)</i>
P-33	The difference in significance between antiphospholipid syndrome and antiphospholipid antibodies present in pregnant women with thrombosis and/or pregnancy complications <i>N.K. Vereina, S.P. Sinitsin, V.F. Dolgushina, V.S. Chulkov (Russia)</i>
P-34	Hypercoagulability increases during pregnancy in women receiving prophylactic low-molecular-weight heparin <i>M. Božič Mijovski, T. Vižintin Cuderman, S. Šmid, M. Kozak (Slovenia)</i>
P-35	The LMWH-associated early variations in circulating angiogenic factors predict clinical outcomes in pregnant women with previous placental abruption or severe pre-eclampsia <i>S. Bouvier, G. Lavigne, E. Nouvellon, E. Mercier, J-P. Balducchi, J-Y. Lefrant, E. Mousty, P. Marès, J-C. Gris (France)</i>
P-36	Circulating microparticles in cord blood of normal pregnancy and of pregnancy with preeclampsia <i>E. Campello, L. Spiezia, C. M. Radu, S. Visentin, S. Gavasso, S. Maggiolo, E. Cosmi, P. Simioni (Italy)</i>
P-37	Circulating microparticles in normal pregnancy: a longitudinal study <i>E. Campello, C. M. Radu, L. Spiezia, S. Dhima, S. Visentin, S. Gavasso, B. Woodhams, E. Cosmi, P. Simioni (Italy)</i>
P-38	Whole blood thromboelastometry profiles in women with preeclampsia <i>L. Spiezia, E. Campello, G. Bogana, S. Maggiolo, C. M. Radu, C. Bulato, M. T. Gervasi, P. Simioni (Italy)</i>
P-39	Frequency of antiphospholipid syndrome in 600 Czech women with venous thromboembolism in association with combined oral contraceptive use - <i>P. Dulíček, E. Ivanová, P. Sadílek, P. Žák (Czech Republic)</i>
P-40	Management of childbirth in a patient with severe factor V deficiency and congenital cardiomyopathy <i>S. Vander Meeren, M. Laubach, D. Kerkhove, K. Jochmans (Belgium)</i>
P-41	Secondary prevention of thromboembolic recurrences in pregnant women at high risk of recurrence: a French survey <i>A. Buchmuller, C. Chauleur, S. Middeldorp, A. Merah, S. Accassat, M. Bardou, H. Decousus, B. Tardy (France, Netherlands)</i>
P-42	Massive splenic infarction during puerperium in a sickle cell β thalassemia patient <i>C. Levin, T. Dujovny, A. Koren (Israel)</i>
P-43	Thrombolysis of massive pulmonary embolism during pregnancy; A case-report and literature review <i>G. Martillotti, P. Fontana, F. Boehlen, M. Righini, M. Boulvain, N. Jastrow, N. Dufresne, P. Meyer, S. Terraz, M. Blondon (Switzerland)</i>
P-44	A possible role of low-molecular-weight-heparins in the placental balance between haemostasis and angiogenesis <i>M. Villani, E. Chinni, N. Sciannamè, E. Mangiullo, L. Tiscia, G. Favuzzi, F. Cappucci, F. Petruzzelli, M. Margaglione, E. Grandone (Italy)</i>
P-45	Heavy menstrual bleeding on rivaroxaban – 2 years of experience <i>M.S. Ferreira, S. Barsam, J.P. Patel, J. Czuprynska, L.N. Roberts, R.K. Patel, R. Arya (UK, Portugal)</i>
P-46	Severe von Willebrand disease (VWD) in pregnancy and childbirth: a case series <i>M. Malina, R. Abdul-Kadir, D. Pollard, M. Siebert and S. Halimeh (UK, Germany)</i>
P-47	D-dimer is not an effective tool in the diagnosis of venous thromboembolism in pregnancy, 6 years of experience at a tertiary medical center - <i>A. Keren-Politansky, I. Solt (Israel)</i>
P-48	A reference laboratory experience in the diagnosis of neonatal alloimmune thrombocytopenia <i>L. Bonstein, I. Solt (Israel)</i>
P-49	Impact of Factor VII deficiency compared to Von Willebrand disease on gynecological-bleeding <i>C. Lavoie, C. Taillefer, M. David, R. Winikoff (Canada)</i>
P-50	Obstetric Antiphospholipid Syndrome: The influence of triple positivity antibodies profile on pregnancy outcomes <i>J.O. Latino, R.D. Fernandez, U. Sebastian (Argentina)</i>
P-51	Antiphospholipid antibodies circulation and fetal loss syndrome <i>J. Khizroeva, D. Kapanadze, M. Andreeva, G. Abramyan (Russia)</i>
P-52	Antiphospholipid antibodies circulation in patients undergoing IVF <i>J. Khizroeva, V. Bitsadze, N. Makatsariya (Russia)</i>
P-53	Unclear case of recurrent thrombosis in pregnancy: Role of acquired ADAMTS-13 deficiency

	<i>V.O. Bizadze, A.D. Makatsariya, S.V. Akinshina (Russia)</i>
P-54	Prevention of recurrent venous and arterial thromboembolic complications during pregnancy <i>S.V. Akinshina, A.D. Makatsariya, V.O. Bitsadze, M. Andreeva, N. Stuleva (Russia)</i>
P-55	Perinatal outcomes in women with history of stroke and thrombophilia <i>A.D. Makatsariya, S.V. Akinshina, V.O. Bitsadze (Russia)</i>
P-56	Pathogenetic prophylaxis pre-eclampsia in patients with thrombophilia and pre-eclampsia in anamnesis <i>A.D. Makatsariya, E.V. Zhuravleva, M.D. Andreeva (Russia)</i>
P-57	Anticoagulation therapy in cancer patients <i>A. Makatsariya; A. Vorobev (Russia)</i>
P-58	Rare localisation trombosis in cancer patients <i>A. Makatsariya; A. Vorobev (Russia)</i>
P-59	Abnormal uterine bleeding as the first manifestation of hemostasis system abnormalities <i>R.A. Saidova, A.D. Makatsariya (Russia)</i>
P-60	Factor XIII VAL34LEU polymorphism is a possible risk factor for venous thromboembolism in young women from the North-Western region of Russia - <i>S. Kapustin, V. Shmeleva, N. Saltykova, J. Sidorova, V. Soldatenkov, L. Papayan (Russia)</i>